

# TEST REPORT

Test Report # 19H-004544(A1) Date of Report Issue: August 1, 2019  
 Date of Sample Received: June 18, 2019 Pages: Page 1 of 14

## CLIENT INFORMATION:

Company: Imagen Brands  
 Recipient: Carissa Roepke  
 Recipient Email: CarissaR@imagenbrands.com



## SAMPLE INFORMATION:

Description: 16oz Grip N Go Stainless Tumbler  
 Assortment: - Purchase Order Number: -  
 SKU/style No.: 16GRPSS-MR, 16GRPSS-HGR (DIRECT FROM SUPPLIER), 16GRPSS-BL, 16GRPSS-BK / 16GRPSS Toy Co./Agency: -  
 Factory/Supplier/Vendor: - Country of Origin: China  
 Country of Distribution: United States, Canada Labeled Age Grade: -  
 Quantity Submitted: 6 pcs (Black, Maroon, Royal Blue), 5 pcs (Green) + 1 lot Parts Recommended Age Grade: -  
 Testing Period: 07/19/2019 – 07/30/2019 Tested Age Grade: -  
 08/01/2019 – 08/01/2019

## OVERALL RESULT:

**🔍 PASS with Information**

Refer to page 2 for test result summary and appropriate notes.  
 QIMA Testing (HK) Limited

QIMA Testing (HK) Limited



Loska Yeung Lok Ka  
 Assistant Manager, Chemical Laboratory



Ricky Cheung Chin Yeung  
 Manager, Physical Laboratory

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.  
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 2 of 14

**TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

| CONCLUSION       | TEST(S) CONDUCTED                                                                                                                                          |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PASS             | CPSIA Section 101, Total Lead in Substrate Materials                                                                                                       |
| PASS             | California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)                                                                                   |
| PASS             | 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP) |
| Information Only | FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers <sup>#</sup>                                                                    |
| PASS             | Client's Requirement, Bisphenol A <sup>#</sup>                                                                                                             |
| PASS             | FDA 21 CFR 177.1210, Closures with Sealing Gaskets <sup>#</sup>                                                                                            |
| PASS             | FDA 21 CFR 177.1520, Polypropylene Homopolymers                                                                                                            |
| PASS             | 19 CFR 134.11, Country of Origin <sup>#</sup>                                                                                                              |
| PASS             | Marking of Imported Goods Order, (C.R.C., c.535), Country of Origin <sup>#</sup>                                                                           |

*Remark:*

CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings was not conducted as no paint and similar surface coating found on received sample.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 3 of 14

**DETAILED RESULTS:****CPSIA Section 101, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.      | 2               | 3               | 4               | 5               | 6               | Total<br>Limit<br>(ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                         |
| Total Lead (Pb)   | ND              | ND              | ND              | ND              | ND              | <b>100</b>              |
| <b>Conclusion</b> | PASS            | PASS            | PASS            | PASS            | PASS            |                         |

| Specimen No.      | 7               | 8               | 9               | 10              | ---             | Total<br>Limit<br>(ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                         |
| Total Lead (Pb)   | ND              | ND              | ND              | ND              | ---             | <b>100</b>              |
| <b>Conclusion</b> | PASS            | PASS            | PASS            | PASS            | ---             |                         |

**Note:**

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 4 of 14

**DETAILED RESULTS:****California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)**

Test Method: CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                          |                          | 2                 | 3                 | 4                 | 5                 | Limit<br>(mg/kg) |
|---------------------------------------|--------------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item                             | CAS No.                  | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Dibutyl phthalate<br>(DBP)            | 84-74-2                  | ND                | ND                | ND                | ND                | <b>1000</b>      |
| Benzyl butyl phthalate<br>(BBP)       | 85-68-7                  | ND                | ND                | ND                | ND                | <b>1000</b>      |
| Di-(2-ethylhexyl)<br>phthalate (DEHP) | 117-81-7                 | ND                | ND                | ND                | ND                | <b>1000</b>      |
| Diisononyl phthalate<br>(DINP)        | 28553-12-0<br>68515-48-0 | ND                | ND                | ND                | ND                | <b>1000</b>      |
| Diisodecyl phthalate<br>(DIDP)        | 26761-40-0<br>68515-49-1 | ND                | ND                | ND                | ND                | <b>1000</b>      |
| Di-n-hexyl phthalate<br>(DnHP)        | 84-75-3                  | ND                | ND                | ND                | ND                | <b>1000</b>      |
| <b>Conclusion</b>                     |                          | PASS              | PASS              | PASS              | PASS              |                  |

**Note:**

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.  
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 5 of 14

**DETAILED RESULTS:****California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)**

Test Method: CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                       |                          | 6                 | 7                 | 8                 | 9                 | Limit<br>(mg/kg) |
|------------------------------------|--------------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item                          | CAS No.                  | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Dibutyl phthalate (DBP)            | 84-74-2                  | ND                | ND                | ND                | ND                | 1000             |
| Benzyl butyl phthalate (BBP)       | 85-68-7                  | ND                | ND                | ND                | ND                | 1000             |
| Di-(2-ethylhexyl) phthalate (DEHP) | 117-81-7                 | ND                | ND                | ND                | ND                | 1000             |
| Diisononyl phthalate (DINP)        | 28553-12-0<br>68515-48-0 | ND                | ND                | ND                | ND                | 1000             |
| Diisodecyl phthalate (DIDP)        | 26761-40-0<br>68515-49-1 | ND                | ND                | ND                | ND                | 1000             |
| Di-n-hexyl phthalate (DnHP)        | 84-75-3                  | ND                | ND                | ND                | ND                | 1000             |
| <b>Conclusion</b>                  |                          | PASS              | PASS              | PASS              | PASS              |                  |

**Note:**

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 6 of 14

**DETAILED RESULTS:****16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)**

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                        |                          | 2              | 3              | 4              | 5              | Limit (mg/kg) |
|-------------------------------------|--------------------------|----------------|----------------|----------------|----------------|---------------|
| Test Item                           | CAS No.                  | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) |               |
| Dibutyl phthalate (DBP)             | 84-74-2                  | ND             | ND             | ND             | ND             | 1000          |
| Benzyl butyl phthalate (BBP)        | 85-68-7                  | ND             | ND             | ND             | ND             | 1000          |
| Di-(2-ethylhexyl) phthalate (DEHP)  | 117-81-7                 | ND             | ND             | ND             | ND             | 1000          |
| Diisononyl phthalate (DINP)         | 28553-12-0<br>68515-48-0 | ND             | ND             | ND             | ND             | 1000          |
| Di-n-hexyl phthalate (DHEXP / DnHP) | 84-75-3                  | ND             | ND             | ND             | ND             | 1000          |
| Dicyclohexyl phthalate (DCHP)       | 84-61-7                  | ND             | ND             | ND             | ND             | 1000          |
| Diisobutyl phthalate (DIBP)         | 84-69-5                  | ND             | ND             | ND             | ND             | 1000          |
| Di-n-pentyl phthalate (DPENP)       | 131-18-0                 | ND             | ND             | ND             | ND             | 1000          |
| <b>Conclusion</b>                   |                          | PASS           | PASS           | PASS           | PASS           |               |

**Note:**

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 7 of 14

**DETAILED RESULTS:****16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)**

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                        |                          | 6              | 7              | 8              | 9              | Limit (mg/kg) |
|-------------------------------------|--------------------------|----------------|----------------|----------------|----------------|---------------|
| Test Item                           | CAS No.                  | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) |               |
| Dibutyl phthalate (DBP)             | 84-74-2                  | ND             | ND             | ND             | ND             | 1000          |
| Benzyl butyl phthalate (BBP)        | 85-68-7                  | ND             | ND             | ND             | ND             | 1000          |
| Di-(2-ethylhexyl) phthalate (DEHP)  | 117-81-7                 | ND             | ND             | ND             | ND             | 1000          |
| Diisononyl phthalate (DINP)         | 28553-12-0<br>68515-48-0 | ND             | ND             | ND             | ND             | 1000          |
| Di-n-hexyl phthalate (DHEXP / DnHP) | 84-75-3                  | ND             | ND             | ND             | ND             | 1000          |
| Dicyclohexyl phthalate (DCHP)       | 84-61-7                  | ND             | ND             | ND             | ND             | 1000          |
| Diisobutyl phthalate (DIBP)         | 84-69-5                  | ND             | ND             | ND             | ND             | 1000          |
| Di-n-pentyl phthalate (DPENP)       | 131-18-0                 | ND             | ND             | ND             | ND             | 1000          |
| <b>Conclusion</b>                   |                          | PASS           | PASS           | PASS           | PASS           |               |

**Note:**

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 8 of 14

**DETAILED RESULTS:****Client's Requirement, Total Chromium in Stainless Steel**

Test Method: In-House Method<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.        | 10                  | ---               | ---               | ---               | ---               | Limit<br>(% m/m) |
|---------------------|---------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item           | Result<br>(% m/m)   | Result<br>(% m/m) | Result<br>(% m/m) | Result<br>(% m/m) | Result<br>(% m/m) |                  |
| Total Chromium (Cr) | 13.9                | ---               | ---               | ---               | ---               | <b>GT 10.5</b>   |
| <b>Conclusion</b>   | Information<br>Only | ---               | ---               | ---               | ---               |                  |

*Note:*

% m/m = Percent by mass

GT = Greater than

LT = Less than

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.





YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 9 of 14

**DETAILED RESULTS:****Client's Requirement, Bisphenol A**

Test Method: In-House Method<sup>#</sup>  
 Analytical Method: Liquid Chromatography with Fluorescence Detection

| Specimen No.      |         | 2               | 3               | 4               | 5               | Limit<br>(ppm) |
|-------------------|---------|-----------------|-----------------|-----------------|-----------------|----------------|
| Test Item         | CAS No. | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                |
| Bisphenol A (BPA) | 80-05-7 | ND              | ND              | ND              | ND              | ND             |
| <b>Conclusion</b> |         | PASS            | PASS            | PASS            | PASS            |                |

*Note:*

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not Detected (Reporting Limit = 1 ppm)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.  
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 10 of 14

**DETAILED RESULTS:****FDA 21 CFR 177.1210, Closures with Sealing Gaskets**Test Method: FDA 21 CFR 177.1210<sup>#</sup>

| Specimen No.               |                |                     | 5               | ---             | RL<br>(ppm) | Limit<br>(ppm) |
|----------------------------|----------------|---------------------|-----------------|-----------------|-------------|----------------|
| Test Item                  | Test Condition |                     | Result<br>(ppm) | Result<br>(ppm) |             |                |
|                            | Temp.          | Duration            |                 |                 |             |                |
| Distilled water extractive | Fill boiling   | Until Cool to 100°F | 24              | ---             | 10          | 50             |
| <b>Conclusion</b>          |                |                     | PASS            | ---             |             |                |

**Note:**

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram foodstuff)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

**Remark:**

The specification is quoted from 21 CFR 177.1210 Table 2 Section 2.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 11 of 14

**DETAILED RESULTS:****FDA 21 CFR 177.1520, Polypropylene Homopolymers**

Test Method: FDA 21 CFR 177.1520

| Specimen No.            |        |                                  | 2      | 3      | RL  | Limit         |
|-------------------------|--------|----------------------------------|--------|--------|-----|---------------|
| Test Item               | Temp.  | Duration                         | Result | Result |     |               |
| Density (g/cc)          | NA     | NA                               | 0.902  | 0.901  | NA  | 0.880 – 0.913 |
| Melting point (°C)      | NA     | NA                               | 171.0  | 170.3  | NA  | 150 – 180     |
| n-Hexane extractive (%) | Reflux | 2 hours                          | 1.2    | 1.0    | 0.1 | 6.4           |
| Xylene extractive (%)   | 120°C  | 2 hours or until total dissolved | 1.8    | 1.0    | 0.5 | 9.8           |
| <b>Conclusion</b>       |        |                                  | PASS   | PASS   |     |               |

| Specimen No.            |        |                                  | 4      | ---    | RL  | Limit         |
|-------------------------|--------|----------------------------------|--------|--------|-----|---------------|
| Test Item               | Temp.  | Duration                         | Result | Result |     |               |
| Density (g/cc)          | NA     | NA                               | 0.900  | ---    | NA  | 0.880 – 0.913 |
| Melting point (°C)      | NA     | NA                               | 170.7  | ---    | NA  | 150 – 180     |
| n-Hexane extractive (%) | Reflux | 2 hours                          | 0.9    | ---    | 0.1 | 6.4           |
| Xylene extractive (%)   | 120°C  | 2 hours or until total dissolved | 0.9    | ---    | 0.5 | 9.8           |
| <b>Conclusion</b>       |        |                                  | PASS   | ---    |     |               |

**Note:**

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% w/w = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

**Remark:**

The specification is quoted from 21 CFR 177.1520 (c) 1.1.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 12 of 14

**DETAILED RESULTS:****19 CFR 134.11, Country of Origin<sup>#</sup>**

| Test              | Observation                                                                | Conclusion |
|-------------------|----------------------------------------------------------------------------|------------|
| Country of Origin | Present on product and can be read easily by consumer at the point of sale | PASS       |

**Marking of Imported Goods Order, (C.R.C., c.535), Country of Origin<sup>#</sup>**

| Section | Requirement                | Conclusion |
|---------|----------------------------|------------|
| 2       | Country of Origin Markings | PASS       |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.*

*ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.*



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-004544(A1)

Page 13 of 14

**SPECIMEN DESCRIPTION:**

| Specimen No. | Specimen Description                | Location                               |
|--------------|-------------------------------------|----------------------------------------|
| 2            | Red plastic (PP-homo)               | Inner wall/ lid (maroon style)         |
| 3            | Blue plastic (PP-homo)              | Inner wall/ lid (royal blue style)     |
| 4            | Green plastic (PP-homo)             | Inner wall/ lid (green style)          |
| 5            | Translucent soft plastic (Silicone) | Gasket (all styles)                    |
| 6            | Black soft plastic                  | Band/ pad of bottom (black style)      |
| 7            | Red soft plastic                    | Band/ pad of bottom (maroon style)     |
| 8            | Blue soft plastic                   | Band/ pad of bottom (royal blue style) |
| 9            | Green soft plastic                  | Band/ pad of bottom (green style)      |
| 10           | Silvery metal                       | Outer wall (all styles)                |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

**SAMPLE PHOTO:**



-End Report-