



**Test Report**

No.T32120280139TC

Date: JUL 26, 2021

Page 1 of 11

IMAGEN BRANDS

401 US HWY 160 DONIPHAN, MO 63935, UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

THE BIG LOUNGER

Item No. : BIGLNGR  
 Manufacture Date : 2021  
 Shipment Order Number : DP00038545  
 Country of Origin : CHINA  
 Country of Destination : CANADA, UNITED STATES  
 Sample Receiving Date : JUL 06, 2021  
 Testing Period : JUL 06, 2021 TO JUL 26, 2021

Test Requested		Conclusion
1.	CPSIA section 108 – Phthalates in the specified specimen(s) as listed (Selected test items as specified by the applicant, please refer to test result page(s) for details)	PASS
	US 16 CFR Part 1307 – Phthalates in the specified specimen(s) as listed (Selected test items as specified by the applicant, please refer to test result page(s) for details)	PASS
	US California Proposition 65 (County of Alameda Case No. RG 13-683338 & County of Alameda Case No. RG11597933& County of Santa Clara Case No. 114CV267501 & County of Marin Case No. CIV1105882) – Phthalates Content in the specified specimen(s) as listed (Selected test items as specified by the applicant, please refer to test result page(s) for details)	PASS
2.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A. - Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content in the specified specimen(s) as listed	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Requested		Conclusion
3.	CPSIA section 101 - Total Lead content in the specified specimen(s) as listed	--
3.1	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
3.2	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children’s Metal Jewelry)	PASS
4.	US California Proposition 65 (County of Alameda Case No. RG11575589) – Lead Content in the specified specimen(s) as listed	PASS
5.	Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material in the specified specimen(s) as listed	PASS
6.	Seating- seat static load, seating-front stability and Seating - rear stability of FT0315.1 Camping Chair -US-V1.0	PASS

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
SGS Hong Kong Ltd.



\_\_\_\_\_  
To Man Wah, Po  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Test Results:**
**1. Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Accessible Materials can be placed in the Mouth

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	1	2	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	0.003
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	3	4	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	0.003
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003

**Specimen Description:**

1. Black woven w/ black plastic sheet (Body) (#1-BIGLNGR Black 600D Polyester Chair Fabric)
2. Royal woven w/ royal plastic sheet (Body) (#2-BIGLNGR Royal 600D Polyester Chair Fabric)
3. Black woven (Bag) (#5-BIGLNGR Black 210D Polyester Carrying bag)
4. Royal woven (Bag) (#6-BIGLNGR Royal 210D Polyester Carrying bag)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



## Test Report

No.T32120280139TC

Date: JUL 26, 2021

Page 4 of 11

- Note:
- % = percentage by weight
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)

The Phthalates Content Requirement(s) is(are) Summarize as below:

Requirement(s)	Permissible Limit
<b>Consumer Product Safety Improvement Act of 2008</b>	
- Toys for children up to 12 or childcare articles for children up to 3	- DEHP, BBP or DBP $\leq$ 0.1%
- Toys for children up to 12 that can be placed in the mouth or childcare articles for children up to 3	- DINP, DNOP or DIDP $\leq$ 0.1%
<b>US 16 CFR Part 1307</b>	
- Toys for children up to 12 or childcare articles for children up to 3	- DEHP, BBP, DBP, DINP, DIBP, DPENP, DHEXP, and DCHP $\leq$ 0.1%
<b>California Proposition 65 (County of Alameda Case No. RG 13-683338)</b>	
- Folding chairs with Vinyl/PVC upholstery	$\leq$ 0.1% each of DEHP, BBP and DBP

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Requirement(s)	Permissible Limit
California Proposition 65 (County of Marin Case No. CIV1105882)	
<ul style="list-style-type: none"> <li>- Rainwear/apparel</li> <li>- Hardware (including hooks, suction cups, etc)</li> <li>- Squeeze bottles that could contain paint, glue or craft mediums; or empty squeeze bottles intended for use as storage</li> <li>- Jewelry travel cases</li> <li>- Covers/sleeves/handles for books, planners, journals, diaries, and photo albums</li> <li>- Eyelash Curler Bags</li> <li>- Journals and Refills</li> <li>- Pocket Guides</li> <li>- Card Boxes</li> <li>- Pocket Hanging Storages</li> <li>- See-Through Bags</li> <li>- Totes</li> <li>- Needle Cases</li> <li>- Purse Kits</li> <li>- Accessory Bags Sets</li> <li>- Needle Sleeves</li> <li>- Storage containers, such as for scrapbooking, sewing apparel craft, and beading</li> <li>- Décor items, including faux fruit and vegetables, balls, gems, beads, ornaments, floral, greenery, centerpieces, candle rings, table décor, planters</li> <li>- Chairs and chair pads</li> <li>- Mats (sink, tub, auto, welcome, etc)</li> <li>- Vinyl placemats, tablecloths</li> <li>- Vinyl fabric, including faux leather fabric</li> <li>- Photo Albums</li> <li>- Aprons</li> <li>- Covers/cases/bags/cords for mobile electronic devices (e.g. telephones, cameras, MP3 players, CDs/DVDs, videogames, radios, tablets and laptops)</li> <li>- Stickers not intended primarily for use by children aged 12 and under</li> </ul>	<p>≤ 0.1% DEHP, BBP and DBP</p> <p>Remark: For accessible components made of PVC or other soft plastic, vinyl or synthetic leather</p>
California Proposition 65 (County of Alameda Case No. RG11597933)	
<ul style="list-style-type: none"> <li>- Stools</li> </ul>	<p>≤ 0.1% DEHP</p>
California Proposition 65 (County of Santa Clara Case No. 114CV267501)	
<ul style="list-style-type: none"> <li>- Seat with Vinyl/PVC upholstery</li> </ul>	<p>≤ 0.1% each of DEHP, BBP, DBP, DIDP, DnHP and DINP otherwise warning</p>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**2. CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Silvery-grey coating on metal (Frame) (#4-BIGLNGR Silver Iron Frame)	17

- Note:
- ppm = parts per million
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

**3.1 CPSIA - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Silvery-grey coating on metal (Frame) (#4-BIGLNGR Silver Iron Frame)	17

- Note:
- ppm = parts per million
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**3.2 CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Test Item(s)	Lead (Pb)
Permissible Limit <b>**</b> (ppm)	100
Specimen Description	Result(s) (ppm)
1. Black woven w/ black plastic sheet (Body) (#1-BIGLNGR Black 600D Polyester Chair Fabric)	ND
2. Royal woven w/ royal plastic sheet (Body) (#2-BIGLNGR Royal 600D Polyester Chair Fabric)	ND
3. Black mesh (Cup holder) (#3-BIGLNGR Black Mesh Fabric (for cup holder))	ND
4. Black woven (Bag) (#5-BIGLNGR Black 210D Polyester Carrying bag)	ND
5. Royal woven (Bag) (#6-BIGLNGR Royal 210D Polyester Carrying bag)	ND
6. Black woven cord (Bag) (#7-BIGLNGR Black Strap of the Carrying bag)	ND
7. Silvery metal tube (Frame) (#4-BIGLNGR Silver Iron Frame)	ND

\*\* Permissible Limit applies to a children’s product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4. US California Proposition 65 – Total Lead Content**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Silvery-grey coating on metal (Frame) (#4-BIGLNGR Silver Iron Frame)	17
2. Silvery metal tube (Frame) (#4-BIGLNGR Silver Iron Frame)	ND
3. Black woven w/ black plastic sheet (Body) (#1-BIGLNGR Black 600D Polyester Chair Fabric)	ND
4. Royal woven w/ royal plastic sheet (Body) (#2-BIGLNGR Royal 600D Polyester Chair Fabric)	ND
5. Black mesh (Cup holder) (#3-BIGLNGR Black Mesh Fabric (for cup holder))	ND
6. Black woven (Bag) (#5-BIGLNGR Black 210D Polyester Carrying bag)	ND
7. Royal woven (Bag) (#6-BIGLNGR Royal 210D Polyester Carrying bag)	ND
8. Black woven cord (Bag) (#7-BIGLNGR Black Strap of the Carrying bag)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit =10 ppm
  - 1% = 10000mg/kg=10000ppm

**Remark: Summary of permissible limit(s) of Lead requirement otherwise warning label required:**

Requirement(s)	Permissible Limit of Lead (ppm)	Effective Date
California Proposition 65 (County of Alameda Case No. RG11575589)	100	Current

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**5. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material**

Method: With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2:2017 and C-07:2019

Test Item(s)	Pb	Hg
Permissible Limit (mg/kg)	90	ND
Specimen Description	Result(s) (mg/kg)	
1. Silvery-grey coating on metal (Frame) (#4-BIGLNGR Silver Iron Frame)	17	ND

- Note:
- mg/kg = milligram per kilogram
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - MDL for Pb = 10 mg/kg
  - MDL for Hg = 10 mg/kg
  - The action level of Mercury is 10 mg/kg according to the Industry guide to Health Canada’s Safety Requirements for Children’s Toys and Related Products, 2012

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**6. Test Conducted:**

Seating- seat static load, seating-front stability and Seating - rear stability of FT0315.1 Camping Chair -US-V1.0.

**No. of Sample:**

1 piece (Sample #1). For more sample information and pictures, please refer to the following page.

Test Property	Test Method	Test Principle / Requirements	Rating
<b>Strength and durability</b>			
Seating - seat static load	SGS In-house Method	No structural failure under 250 lbs compression x1.2 times for 24hours	PASS Tested load: 300 lbs
<b>Stability</b>			
Seating - front stability	SGS In-house Method & ANSI/BIFMA X5.1-2017 11.4	The chair is obstructed with a 13mm (1/2 in.) obstruction to the chair casters / legs. A downward load of 600N(135lbs.) is centered 60mm(2.4in.) from the seat front center edge. The seat shall withstand a 20N (4.5lbf.) horizontally from the front seat edge without tipping.	PASS
Seating - rear stability	SGS In-house Method & ANSI/BIFMA X5.1-2017 11.3.1 for type III chairs	Apply only to chairs with backrests greater than 200mm Type III: Load the chair with 6 disks, apply a horizontal force to the highest disk. The location of the force application is 6mm(0.25in.) from the top of the disk. The force shall be: ·F=0.1964(1195-H)Newton. H is the seat height in mm. ·[F=1.1(47-H)pounds force.]. H is the seat height in inches. For chairs with seat height equal to or greater than 710mm(28.0in.), a fixed force of 93N(20.9 lbf.) shall be applied. The chair shall not tip over.	PASS

**Remark:**

- For the sample information and pictures, please refer to the following page.
- The tests were conducted by SGS SD. The decision rule of this test item is based on the Binary Statement for Simple Acceptance Rule ( $w=0$ ) in ILAC-G8:09/2019 Clause 4.2.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**SAMPLE INFORMATION AND PICTURES**

**Weight:** 2.20 kg

**Overall Dimensions:** 505 mm D x 810 mm W x 850 mm H

**Other Dimensions:** /


**Remark:**

When statement of conformity is made, unless the decision rule was mentioned in above specified test items, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability,  $w = U_{95}$ ) in ILAC-G8:09/2019 Clause 4.2.3.

“Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band.” or “Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.”

“Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band.” or “Fail - One or more measured values were observed out of tolerance at the points tested”. The specific false reject risk is up to 2.5%.

“Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%.”



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.