



TEST REPORT

Test Report # 18H-008437(A2) Date of Report Issue: December 12, 2018
 Date of Sample Received: October 31, 2018 Pages: Page 1 of 10

CLIENT INFORMATION:

Company: Imagen Brands
 Recipient: Carissa Roepke
 Recipient Email: CarissaR@imagenbrands.com



SAMPLE INFORMATION:

Description: 16oz Peristyle Bottle, 12oz Sipper Wine Tumbler, 20oz Iconic Tumbler, 20oz Ombre Tumbler
 Assortment: Gray, Navy, Black/Gold, Black/Stainless Steel, White/Gold, White/Stainless Steel, Blue, Red, Smoke, Teal
 Purchase Order Number: -
 SKU/style No.: Refer to Page 2 Toy Co./Agency: P029663
 Factory/Supplier/Vendor: - Country of Origin: China
 Country of Distribution: United States, Canada Labeled Age Grade: -
 Quantity Submitted: Refer to Page 2 Recommended Age Grade: -
 Testing Period: 11/27/2018 – 12/10/2018 Tested Age Grade: -
 12/12/2018 – 12/12/2018

OVERALL RESULT:

PASS

Refer to page 3 for test result summary and appropriate notes.

ANSECO GROUP (HK) LIMITED

Loska Yeung Lok Ka
Assistant Manager, Chemical Laboratory

ANSECO GROUP (HK) LIMITED

Ricky Cheung Chin Yeung
Manager, Physical Laboratory

ANSECO GROUP (HK) LIMITED ♦ 3/F Liven House ♦ No. 61 – 63 King Yip Street ♦ Kwun Tong ♦ Kowloon ♦ Hong Kong ♦ Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

**SKU/STYLE NO./ QUANTITY SUBMITTED DETAILED:**

Style description	SKU No.	Style No.	Qty.
16oz Peristyle Bottle - BK	CDKW005-BK	CDKW005	9 pcs
16oz Peristyle Bottle - COP	CDKW005-COP	CDKW005	9 pcs
16oz Peristyle Bottle - GY	CDKW005-GY	CDKW005	9 pcs
16oz Peristyle Bottle - RD	CDKW005-RD	CDKW005	9 pcs
16oz Peristyle Bottle - RY	CDKW005-RY	CDKW005	9 pcs
16oz Peristyle Bottle - SS	CDKW005-SS	CDKW005	11 pcs
16oz Peristyle Bottle - TL	CDKW005-TL	CDKW005	9 pcs
16oz Peristyle Bottle - WH	CDKW005-WH	CDKW005	2 pcs
16oz Peristyle Bottle - PAGR	CDKW005-PAGR	CDKW005	2 pcs
12oz Sipper Wine Tumbler - GY	CDKW024-GY	CDKW024	2 pcs
12oz Sipper Wine Tumbler - NV	CDKW024-NV	CDKW024	2 pcs
12oz Sipper Wine Tumbler - SS	-	CDKW024	2 pcs
20oz Iconic Tumbler - BK-GO	CDKW044-BK-GO	CDKW044	1 pc
20oz Iconic Tumbler - WH-GO	CDKW044-WH-GO	CDKW044	1 pc
20oz Iconic Tumbler - BK-SS	CDKW044-BK-SS	CDKW044	1 pc
20oz Iconic Tumbler - WH-SS	CDKW044-WH-SS	CDKW044	1 pc
20oz Iconic Tumbler - BK	-	CDKW044	1 pc
20oz Iconic Tumbler - WH	-	CDKW044	1 pc
20oz Ombre Tumbler - BL	CDKW045-BL	CDKW045	1 pc
20oz Ombre Tumbler - RD	CDKW045-RD	CDKW045	1 pc
20oz Ombre Tumbler - SM	CDKW045-SM	CDKW045	1 pc
20oz Ombre Tumbler - TL	CDKW045-TL	CDKW045	1 pc
Parts	-	-	1 lot
Dry paint	-	-	1 lot

**TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content
PASS	Marking of Imported Goods Order, (C.R.C., c.535), Country of Origin [#]

**DETAILED RESULTS:****Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings**

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2	3	4	5	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Total Mercury (Hg)	ND	ND	ND	ND	ND	10
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6	7	8	9	10	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Total Mercury (Hg)	ND	ND	ND	ND	ND	10
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	11	---	---	---	---	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	---	---	---	---	90
Total Mercury (Hg)	ND	---	---	---	---	10
Conclusion	PASS	---	---	---	---	

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**DETAILED RESULTS:****Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content**

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2	3	4	5	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6	7	8	9	10	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	11	12	13	14	15	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	16	17	18	19	20	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**DETAILED RESULTS:****Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content**

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	21	22	23	24	25	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	26	27	28	29	30	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	31	32	---	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	---	---	---	90
Conclusion	PASS	PASS	---	---	---	

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**DETAILED RESULTS:****Marking of Imported Goods Order, (C.R.C., c.535), Country of Origin[#]**

Section	Requirement	Conclusion
2	Country of Origin Markings	PASS

**SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
1	Black coating	On body (Peristyle bottle-BK style)
2	Copper coating	On body (Peristyle bottle-COP style)
3	Grey coating	On body (Peristyle bottle-GY style)
4	Red coating	On body (Peristyle bottle-RD style)
5	Blue coating	On body (Peristyle bottle-RY style)
6	Dull blue coating	On body (Peristyle bottle-TL style)
7	White coating	On body (Peristyle bottle-WH style)
8	Green coating	On body (Peristyle bottle-PAGR style)
9	Dull grey coating	On body (Sipper Wine Tumbler-GY style)
10	Bright blue coating	On body (Sipper Wine Tumbler-NY style)
11	Golden coating	On bottom (Iconic tumbler BK-Go/ WH-GO styles)
12	Black plastic (PP-co)	Lid (all Peristyle bottle styles)
13	Transparent plastic (AS)	Lid (all Iconic tumbler styles)
14	Clear plastic (AS)	Slider (all Iconic tumbler styles)
15	Dull black plastic (AS)	Body (Iconic tumbler BK-GO/ BK-SS/ BK styles)
16	White plastic (AS)	Body (Iconic tumbler WH-GO/ WH-SS/ WH styles)
17	Transparent blue plastic (AS)	Inner wall (Ombre tumbler-BL style style)
18	Transparent red plastic (AS)	Inner wall (Ombre tumbler-RD style style)
19	Transparent green plastic (AS)	Inner wall (Ombre tumbler-TL style style)
20	Transparent grey plastic (AS)	Inner wall (Ombre tumbler-SM style style)
21	Translucent dull red plastic (AS)	Lid/ slider (Ombre tumbler-RD style style)
22	Translucent dull blue plastic (AS)	Lid/ slider (Ombre tumbler-BL style style)
23	Translucent dull green plastic (AS)	Lid/ slider (Ombre tumbler-TL style style)

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

**SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
24	Translucent dull grey plastic (AS)	Lid/ slider (Ombre tumbler-SM style style)
25	Dull clear plastic	Outer wall (all Ombre tumbler styles)
26	Transparent plastic (AS)	Lid (all sipper wine tumbler styles)
27	Translucent soft plastic (Silicone)	Gasket (all styles except sipper wine tumbler styles)
28	Translucent soft plastic (Silicone)	Gasket (all sipper wine tumbler styles)
29	Bright silvery metal (304 SS)	Body (all Peristyle bottle styles)
30	Dull silvery metal (SS)	Body (all sipper wine tumbler styles)
31	Matt silvery metal (SS)	Outer lid (all Peristyle bottle styles)
32	Silvery metal (304 SS)	Bottom (Iconic tumbler BK-Go/ WH-GO/ BK-SS/ WH-SS styles)



SAMPLE PHOTO:



-End Report-