



# **TEST REPORT**

Test Report # 19H-008885 Date of Report Issue: December 18, 2019

Date of Sample Received: December 2, 2019 Pages: Page 1 of 12

**CLIENT INFORMATION:** 

Company: Imagen Brands
Recipient: Carissa Roepke

Recipient Email: CarissaR@imagenbrands.com

**SAMPLE INFORMATION:** 

Description: Auto Phone Holder with Clip

Assortment: Black Purchase Order Number: -

Black-Silver

SKU/style No.: CTEK045-BK, CTEK045-SV- Toy Co./Agency: -

BK / CTEK045

Factory/Supplier/Vendor: UDP012935 Country of Origin: China

Country of Distribution: United States, Canada Labeled Age Grade: -

Quantity Submitted: 5 pcs per style + 1 lot Parts Recommended Age Grade: -

Testing Period: 12/12/2019 – 12/18/2019 Tested Age Grade: -

**OVERALL RESULT:** 

**PASS** 

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited

TH.

Loska Yeung Lok Ka Assistant Manager, Chemical Laboratory QIMA Testing (HK) Limited

Ricky Cheung Chin Yeung Manager, Physical Laboratory

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.



Test Report #: 19H-008885 Page 2 of 12

# **TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)
PASS	Model Toxics in Packaging Legislation of the Toxics in Packaging Clearinghouse (TPCH)
PASS	19 CFR 134.11, Country of Origin#

according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-008885 Page 3 of 12

# **DETAILED RESULTS:**

# CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2					Total
Test Item	Result	Result	Result	Result	Result	Limit
rest item	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-008885 Page 4 of 12

# **DETAILED RESULTS:**

# California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2					Total
Test Item	Result	Result	Result	Result	Result	Limit
rest item	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note.

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-008885 Page 5 of 12

# **DETAILED RESULTS:**

#### **CPSIA Section 101, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3+4	5+6	7+8	9	10	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-008885 Page 6 of 12

#### **DETAILED RESULTS:**

# California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3+4	5+6	7+8	9	10	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note.

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Page 7 of 12 Test Report #: 19H-008885

#### **DETAILED RESULTS:**

# California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	lo.	1+2	3+4	5+6	7+8	
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Dibutyl phthalate (DBP)	84-74-2	LT 310	LT 460	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	LT 310	LT 460	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	LT 310	LT 460	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	LT 310	LT 460	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	LT 310	LT 460	ND	ND	1000
Di-n-hexyl phthalate (DnHP)	84-75-3	LT 310	LT 460	ND	ND	1000
	Conclusion	PASS	PASS	PASS	PASS	

#### Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

# Remark:

The specification is quoted from client's requirement.

according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-008885 Page 8 of 12

#### **DETAILED RESULTS:**

# 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	lo.	1+2	3+4	5+6	7+8	
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Dibutyl phthalate (DBP)	84-74-2	LT 310	LT 460	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	LT 310	LT 460	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	LT 310	LT 460	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	LT 310	LT 460	ND	ND	1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	LT 310	LT 460	ND	ND	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	LT 310	LT 460	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	LT 310	LT 460	ND	ND	1000
Di-n-pentyl phthalate (DPENP)	131-18-0	LT 310	LT 460	ND	ND	1000
	Conclusion	PASS	PASS	PASS	PASS	

# Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61-63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-008885 Page 9 of 12

#### **DETAILED RESULTS:**

# Model Toxics in Packaging Legislation of the Toxics in Packaging Clearinghouse (TPCH)

Test Method: CH-HK-WI063

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry,

Ultraviolet-Visible Spectrophotometry

Specimen No.	11	12	13			Total
Test Item	Result	Result	Result	Result	Result	Limit
rest item	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Cadmium (Cd)	ND	ND	ND			
Chromium VI (Cr VI)	ND	ND	ND			
Lead (Pb)	ND	ND	ND			
Mercury (Hg)	ND	ND	ND			
Sum	ND	ND	ND			100
Conclusion	PASS	PASS	PASS			

#### Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Total Chromium is reported for Chromium (VI) unless specified.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-008885 Page 10 of 12

# **DETAILED RESULTS:**

# 19 CFR 134.11, Country of Origin#

Test	Observation	Conclusion
Country of Origin	Present on packaging and can be read easily by consumer at the point of sale	PASS

according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with '\psi' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-008885 Page 11 of 12

# **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
1	Silvery coating	On patch of phone holder (SV-BK style)
2	Black coating	On patch of phone holder (BK style)
3	Black plastic	Clip/ base of clip (all styles)
4	Dull black plastic	Connector (all styles)
5	Matt black plastic	Body of phone holder/ arm/ patch (all styles)
6	White plastic	Patch of phone holder (BK style)
7	Black soft plastic	Pad of clip (all styles)
8	Dark grey soft plastic	Feet of phone holder (all styles)
9	Silvery metal	Screw of body (all styles)
10	Bright silvery metal	Screw of connector (all styles)
11	Clear plastic	Polybag (all styles)
12	Clear laminated white/ grey paper with adhesive	Box (all styles)
13	Black printed white dull white paper with adhesive	Sticker (all styles)



Test Report #: 19H-008885 Page 12 of 12

#### **SAMPLE PHOTO:**



-End Report-