

# TEST REPORT

Test Report # 19H-000676(A5) Date of Report Issue: March 21, 2019  
 Date of Sample Received: February 1, 2019 Pages: Page 1 of 13

**CLIENT INFORMATION:**

Company: Imagen Brands  
 Recipient: Carissa Roepke  
 Recipient Email: CarissaR@imagenbrands.com



**SAMPLE INFORMATION:**

|                          |  |                        |            |
|--------------------------|--|------------------------|------------|
| Description:             | EPEX Multnomah Falls Sportspack                    |                        |            |
| Assortment:              | Black  | Purchase Order Number: | DP00028187 |
| SKU/style No.:           | VBAG075BK/ VBAG075                                 | Toy Co./Agency:        | -          |
| Factory/Supplier/Vendor: | ASP013054  | Country of Origin:     | China      |
| Country of Distribution: | United States, Canada                              | Labeled Age Grade:     | -          |
| Quantity Submitted:      | 4 pcs + 2 lot Parts                                | Recommended Age Grade: | -          |
| Testing Period:          | 02/11/2019 – 02/22/2019<br>03/15/2019 – 03/21/2019 | Tested Age Grade:      | -          |

**OVERALL RESULT:**



Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited

Loska Yeung Lok Ka  
 Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited

Ricky Cheung Chin Yeung  
 Manager, Physical Laboratory

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.  
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 2 of 13

**TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

| CONCLUSION | TEST(S) CONDUCTED  |
|------------|--|
| PASS       | CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings   |
| PASS       | California Proposition 65, Total Lead in Paints and Surface Coatings   |
| PASS       | CPSIA Section 101, Total Lead in Substrate Materials   |
| PASS       | California Proposition 65, Total Lead in Substrate Materials   |
| PASS       | California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)   |
| PASS       | 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP) |
| PASS       | 19 CFR 134.11, Country of Origin <sup>#</sup>  |
| PASS       | AATCC 35 Water Resistance – Rain Test <sup>#</sup>   |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 3 of 13

**DETAILED RESULTS:****CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings**

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.      | 1               | ---             | ---             | ---             | ---             | <b>Total<br/>Limit<br/>(ppm)</b> |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                                  |
| Total Lead (Pb)   | 29              | ---             | ---             | ---             | ---             | <b>90</b>                        |
| <b>Conclusion</b> | PASS            | ---             | ---             | ---             | ---             |                                  |

*Note:*

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 4 of 13

**DETAILED RESULTS:****California Proposition 65, Total Lead in Paints and Surface Coatings**

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.      | 1               | ---             | ---             | ---             | ---             | Total<br>Limit<br>(ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                         |
| Total Lead (Pb)   | 29              | ---             | ---             | ---             | ---             | <b>90</b>               |
| <b>Conclusion</b> | PASS            | ---             | ---             | ---             | ---             |                         |

*Note:*

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

*Remark:*

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 5 of 13

**DETAILED RESULTS:****CPSIA Section 101, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.      | 2               | 3               | 4               | 13              | 14              | Total<br>Limit<br>(ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                         |
| Total Lead (Pb)   | ND              | ND              | ND              | ND              | ND              | <b>100</b>              |
| <b>Conclusion</b> | PASS            | PASS            | PASS            | PASS            | PASS            |                         |

| Specimen No.      | 18              | 19              | 21              | 37              | 38              | Total<br>Limit<br>(ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                         |
| Total Lead (Pb)   | ND              | ND              | ND              | ND              | 26              | <b>100</b>              |
| <b>Conclusion</b> | PASS            | PASS            | PASS            | PASS            | PASS            |                         |

| Specimen No.      | 40              | 41              | ---             | ---             | ---             | Total<br>Limit<br>(ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                         |
| Total Lead (Pb)   | ND              | ND              | ---             | ---             | ---             | <b>100</b>              |
| <b>Conclusion</b> | PASS            | PASS            | ---             | ---             | ---             |                         |

**Note:**

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 6 of 13

**DETAILED RESULTS:****California Proposition 65, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.      | 2               | 3               | 4               | 13              | 14              | Total<br>Limit<br>(ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                         |
| Total Lead (Pb)   | ND              | ND              | ND              | ND              | ND              | <b>100</b>              |
| <b>Conclusion</b> | PASS            | PASS            | PASS            | PASS            | PASS            |                         |

| Specimen No.      | 18              | 19              | 21              | 37              | 38              | Total<br>Limit<br>(ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                         |
| Total Lead (Pb)   | ND              | ND              | ND              | ND              | 26              | <b>100</b>              |
| <b>Conclusion</b> | PASS            | PASS            | PASS            | PASS            | PASS            |                         |

| Specimen No.      | 40              | 41              | ---             | ---             | ---             | Total<br>Limit<br>(ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item         | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) |                         |
| Total Lead (Pb)   | ND              | ND              | ---             | ---             | ---             | <b>100</b>              |
| <b>Conclusion</b> | PASS            | PASS            | ---             | ---             | ---             |                         |

**Note:**

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 7 of 13

**DETAILED RESULTS:****California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)**

Test Method: CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                       |                          | 1              | 2              | 3              | 4              |               |
|------------------------------------|--------------------------|----------------|----------------|----------------|----------------|---------------|
| Test Item                          | CAS No.                  | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Limit (mg/kg) |
| Dibutyl phthalate (DBP)            | 84-74-2                  | ND             | ND             | ND             | ND             | 1000          |
| Benzyl butyl phthalate (BBP)       | 85-68-7                  | ND             | ND             | ND             | ND             | 1000          |
| Di-(2-ethylhexyl) phthalate (DEHP) | 117-81-7                 | ND             | ND             | ND             | ND             | 1000          |
| Diisononyl phthalate (DINP)        | 28553-12-0<br>68515-48-0 | ND             | ND             | ND             | ND             | 1000          |
| Diisodecyl phthalate (DIDP)        | 26761-40-0<br>68515-49-1 | ND             | ND             | ND             | ND             | 1000          |
| Di-n-hexyl phthalate (DnHP)        | 84-75-3                  | ND             | ND             | ND             | ND             | 1000          |
| <b>Conclusion</b>                  |                          | PASS           | PASS           | PASS           | PASS           |               |

**Note:**

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 8 of 13

**DETAILED RESULTS:****California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)**

Test Method: CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                       |                          | 13             | 14             | ---            | ---            |               |
|------------------------------------|--------------------------|----------------|----------------|----------------|----------------|---------------|
| Test Item                          | CAS No.                  | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Limit (mg/kg) |
| Dibutyl phthalate (DBP)            | 84-74-2                  | ND             | ND             | ---            | ---            | 1000          |
| Benzyl butyl phthalate (BBP)       | 85-68-7                  | ND             | ND             | ---            | ---            | 1000          |
| Di-(2-ethylhexyl) phthalate (DEHP) | 117-81-7                 | ND             | ND             | ---            | ---            | 1000          |
| Diisononyl phthalate (DINP)        | 28553-12-0<br>68515-48-0 | ND             | ND             | ---            | ---            | 1000          |
| Diisodecyl phthalate (DIDP)        | 26761-40-0<br>68515-49-1 | ND             | ND             | ---            | ---            | 1000          |
| Di-n-hexyl phthalate (DnHP)        | 84-75-3                  | ND             | ND             | ---            | ---            | 1000          |
| <b>Conclusion</b>                  |                          | PASS           | PASS           | ---            | ---            |               |

**Note:**

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.





YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 9 of 13

**DETAILED RESULTS:****16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)**

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                        |                          | 1                 | 2                 | 3                 | 4                 | Limit<br>(mg/kg) |
|-------------------------------------|--------------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item                           | CAS No.                  | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Dibutyl phthalate (DBP)             | 84-74-2                  | ND                | ND                | ND                | ND                | 1000             |
| Benzyl butyl phthalate (BBP)        | 85-68-7                  | ND                | ND                | ND                | ND                | 1000             |
| Di-(2-ethylhexyl) phthalate (DEHP)  | 117-81-7                 | ND                | ND                | ND                | ND                | 1000             |
| Diisononyl phthalate (DINP)         | 28553-12-0<br>68515-48-0 | ND                | ND                | ND                | ND                | 1000             |
| Di-n-hexyl phthalate (DHEXP / DnHP) | 84-75-3                  | ND                | ND                | ND                | ND                | 1000             |
| Dicyclohexyl phthalate (DCHP)       | 84-61-7                  | ND                | ND                | ND                | ND                | 1000             |
| Diisobutyl phthalate (DIBP)         | 84-69-5                  | ND                | ND                | ND                | ND                | 1000             |
| Di-n-pentyl phthalate (DPENP)       | 131-18-0                 | ND                | ND                | ND                | ND                | 1000             |
| <b>Conclusion</b>                   |                          | PASS              | PASS              | PASS              | PASS              |                  |

**Note:**

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 10 of 13

**DETAILED RESULTS:****16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)**

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                        |                          | 13                | 14                | ---               | ---               | Limit<br>(mg/kg) |
|-------------------------------------|--------------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item                           | CAS No.                  | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Dibutyl phthalate (DBP)             | 84-74-2                  | ND                | ND                | ---               | ---               | 1000             |
| Benzyl butyl phthalate (BBP)        | 85-68-7                  | ND                | ND                | ---               | ---               | 1000             |
| Di-(2-ethylhexyl) phthalate (DEHP)  | 117-81-7                 | ND                | ND                | ---               | ---               | 1000             |
| Diisononyl phthalate (DINP)         | 28553-12-0<br>68515-48-0 | ND                | ND                | ---               | ---               | 1000             |
| Di-n-hexyl phthalate (DHEXP / DnHP) | 84-75-3                  | ND                | ND                | ---               | ---               | 1000             |
| Dicyclohexyl phthalate (DCHP)       | 84-61-7                  | ND                | ND                | ---               | ---               | 1000             |
| Diisobutyl phthalate (DIBP)         | 84-69-5                  | ND                | ND                | ---               | ---               | 1000             |
| Di-n-pentyl phthalate (DPENP)       | 131-18-0                 | ND                | ND                | ---               | ---               | 1000             |
| <b>Conclusion</b>                   |                          | PASS              | PASS              | ---               | ---               |                  |

**Note:**

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 11 of 13

**DETAILED RESULTS:****19 CFR 134.11, Country of Origin<sup>#</sup>**

| Test              | Observation  | Conclusion |
|-------------------|--|------------|
| Country of Origin | Present on product and can be read easily by consumer at the point of sale | PASS       |

**AATCC 35 Water Resistance – Rain Test<sup>#</sup>**

| Sample  | Result  | Conclusion |
|---|---|------------|
| EPEX Multnomah Falls Sportspack – BK(VBAG075) | The penetration of water is 0g which is less than 1.0g requirement. | PASS       |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.*

*ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.*



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-000676(A5)

Page 12 of 13

**SPECIMEN DESCRIPTION:**

| Specimen No. | Specimen Description  | Location   |
|--------------|---|--|
| 1            | Black coating   | On zipper head/ puller (EPEX Multnomah Falls Sportspack – BK style)      |
| 2            | Black printed white plastic   | Sewn in label (EPEX Multnomah Falls Sportspack – BK style)               |
| 3            | Black plastic   | Buckle (EPEX Multnomah Falls Sportspack – BK style)                      |
| 4            | Dull black plastic  | Zipper teeth (EPEX Multnomah Falls Sportspack – BK style)                |
| 13           | Black/ bright black PVC with white textile                              | Holder of buckle (EPEX Multnomah Falls Sportspack – BK style)            |
| 14           | Black textile with dull black PVC backing with transparent soft plastic | Main shell (EPEX Multnomah Falls Sportspack – BK style)                  |
| 18           | Dull black textile  | String (EPEX Multnomah Falls Sportspack - BK style)                      |
| 19           | Matt black textile  | Zipper tape (EPEX Multnomah Falls Sportspack – BK style)                 |
| 21           | Multicolor knitted textile  | Brand label (EPEX Multnomah Falls Sportspack – BK style)                 |
| 37           | Silvery metal   | Zipper head of inner pocket (EPEX Multnomah Falls Sportspack – BK style) |
| 38           | Dull silvery metal  | Zipper puller (EPEX Multnomah Falls Sportspack – BK style)               |
| 40           | Off silvery metal   | Eyelet (EPEX Multnomah Falls Sportspack – BK style)                      |
| 41           | Flat silvery metal  | Ring of eyelet (EPEX Multnomah Falls Sportspack – BK style)              |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

**SAMPLE PHOTO:**



-End Report-

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*  
*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*  
*This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.*  
*ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.*