



Test Report

No.: T32120260419TY

Date: JUN 15, 2021

Page 1 of 10

IMAGEN BRANDS

401 US HWY 160 DONIPHAN, MO 63935, UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

KNITTED TEDDY BEAR

Item No. : VPLS003
Manufacture Date : 2021
Shipment order number : DP00037883
Country of Origin : CHINA
Country of Destination : CANADA, UNITED STATES
Labeled Age Grading : AGES 0 AND UP
Requested Age Grading : NOT STATED
Age Group Assessed by
SGS As Per Age Guideline : ALL AGES
Age Group Applied in
Testing : ALL AGES
Sample Receiving Date : MAY 18, 2021
Testing Period : MAY 18, 2021 TO JUN 15, 2021

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Requested		Conclusion
1.	Labeling review accordance to Pennsylvania subchapter H. STUFFED TOYS labeling requirement, Massachusetts 105 CMR 620.006 Stuffed toys labeling and Ohio RC 4101:6-1-05 Stuffed toy labeling.	PASS
2.	For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety.	--
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS
3.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	--
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501: <ul style="list-style-type: none"> - US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages - US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age - US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts 	PASS
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
4.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A. - Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	NOT APPLICABLE (SEE REMARK 1)
5.	Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children’s products.	SEE RESULT PAGE
6.	Labeling requirements	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Requested		Conclusion
7.	CPSIA section 101 and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) - Total Lead content	--
	CPSIA section 101(f) (1) and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in paint/similar surface coating material	NOT APPLICABLE (SEE REMARK 1)
	CPSIA section 101(a) (2) and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in accessible substrate materials (Including Children’s Metal Jewelry)	NOT APPLICABLE (SEE REMARK 2)
8.	Public Act 097-0612 of the US State of Illinois, the Lead Poisoning Prevention Act – Lead in surface coating materials of painted toy / children’s jewelry / childcare article	NOT APPLICABLE (SEE REMARK 1)
9.	Tolerances of the Commonwealth of Pennsylvania Regulation for Stuffed Toys	PASS

Remark 1: There were no surface coating found in the said submitted sample.

Remark 2: According to 16CFR Part 1500.91 Determinations Regulation Lead Content for Certain Materials or Products under Section 101 of CPSIA, the materials in the submitted samples fall into the exemption scope of total lead in substrate, the exemptions include paper and similar materials derived from wood or other cellulosic fiber, Natural and Untreated Wood, Textile

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS Hong Kong Ltd.



Wong Sau Wai, Athena
Senior Technical Executive

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Results:

Pennsylvania subchapter H. STUFFED TOYS labeling requirement

AS SPECIFIED IN Pennsylvania subchapter H. STUFFED TOYS labeling requirement

Section	Description	Result
47.315(a)	Stuff toy shall have securely affixed to it a tag or label. Which is clearly legible and in sufficient size type so that it may be readily discerned	Pass
47.315(b)(1)	Statement of "All new material" or "All new (type) material"	Pass
47.315(b)(2)	Registration number of the manufacturer or importer assigned by the Commonwealth preceded by the abbreviations REG. NO. PA.	Pass
47.316	When filling material is designated, the filling material shall be designated by its accepted generic term as described in 47.311	Pass

Massachusetts 105 CMR 620.006 Stuffed toys labeling requirement

AS SPECIFIED IN Massachusetts 105 CMR 620.006 Stuffed toys labeling requirement

Section	Description	Result
620.006(A)(1)	A statement that "ALL NEW MATERIAL" (with type of material) or "ALL NEW (type) MATERIAL"	Pass
620.006(A)(2)	The name and address, or Massachusetts license number of the manufacturer or vendor.	Pass
620.006(B)	The information required on the label shall be clearly legible and in sufficient size type, so that it can be readily discerned.	Pass

Ohio RC 4101:6-1-05 Stuffed toy labeling requirement

AS SPECIFIED IN Ohio RC 4101:6-1-05 Stuffed toy labeling requirement

Section	Description	Result
4101:6-1-05B(1)	Every stuff toy shall bear a label, in which the information required on the label is clearly legible and in sufficient type so that it can be readily discerned.	Pass
4101:6-1-05B(2)(a)	Registered name and address or registered license number of the manufacturer, wholesaler or importer.	Pass
4101:6-1-05B(2)(b)	A statement that "All new material" was used in the manufacture of the stuffed toy and also specifying the types of filling materials used in the stuffed toy.	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T32120260419TY

Date: JUN 15, 2021

Page 5 of 10

ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	<u>Pass</u> <u>(See Result Page)</u>
4.3	Toxicology	
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	<u>N/A</u> <u>(See Result Page)</u>
4.3.5.2	Heavy Metal in Substrate Materials	<u>Pass</u> <u>(See Result Page)</u>
4.3.7	Stuffing Materials	<u>Pass</u>
4.6.1	Small Objects	<u>Pass</u>
4.6.2	Mouth-Actuated Toys	<u>N/A</u>
4.6.3	Labelling Requirements	<u>N/A</u>
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
4.27	Stuffed and Beanbag-Type Toys	<u>Pass</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	<u>Pass</u>
5.16	Promotional Materials	<u>Pass</u>
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>

N/A = Not Applicable

** Visual Examination

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T32120260419TY

Date: JUN 15, 2021

Page 6 of 10

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample

KNITTED TEDDY BEAR

Burning Rate (inch/sec)

0.1*

*Burning rate has been rounded to the nearest one tenth of an inch per second.

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Not Applicable

Remark : There were no surface coating found in the said submitted sample.

ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Soluble Heavy Metal Content

Test Item(s)	Pb	Sb	As	Ba	Cd	Cr	Hg	Se	
MDL (ppm)	5	5	2.5	10	5	5	5	10	
Migration Limit (ppm) -- Other Than Modeling Clays	90	60	25	1000	75	60	60	500	
Migration Limit (ppm) -- Modeling Clays	90	60	25	250	50	25	25	500	
Specimen No.	Mass of trace amount (mg)		Adjusted Migration Result(s) (ppm)						
1	/		ND	ND	ND	ND	ND	ND	ND
2	/		ND	ND	ND	ND	ND	ND	ND
3	/		ND	ND	ND	ND	ND	ND	ND
4	/		ND	ND	ND	ND	ND	ND	ND
5	/		ND	ND	ND	ND	ND	ND	ND
6	/		ND	ND	ND	ND	ND	ND	ND
7	/		ND	ND	ND	ND	ND	ND	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T32120260419TY

Date: JUN 15, 2021

Page 7 of 10

Specimen Description:

1. Grey w/ white sweater (Body), black, white embroidery (Eye)
2. Brown w/ white sweater (Body)
3. Bright white sweater (Nose, foot)
4. White w/ black woven (Sewn-in label)
5. White polyfiber (Inner)
6. White woven band (Inner)
7. White non-woven (Inner)

- Note:
- ppm = parts per million
 - 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - Migration results of eight elements shown are of the adjusted analytical results
 - For Soluble Heavy Metal Content: The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.

US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	<u>No. of sample tested</u>	<u>Sharp point (16 CFR 1500.48)</u>	<u>Sharp edge (16 CFR 1500.49)</u>	<u>Small part (16 CFR 1501)</u>
As received	2	Pass	N/A	Pass
Impact test (16 CFR 1500.51b)	2	Pass	N/A	Pass
Bite test (16 CFR 1500.52c)	0	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	2	Pass	N/A	Pass
Tension test (16 CFR 1500.52f)	2	Pass	N/A	Pass
Compression test (16 CFR 1500.53g)	0	N/A	N/A	N/A

N/A = Not Applicable

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T32120260419TY

Date: JUN 15, 2021

Page 8 of 10

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample	Burning Rate (inch/sec)
KNITTED TEDDY BEAR	0.1*

*Burning rate has been rounded to the nearest one tenth of an inch per second.

Requirement: A toy / component is considered a “flammable solid” if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

As specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children’s products.

- Tracking label found on the packaging: Not Applicable
- Tracking label found on the product:
 - 1) Name: Chelsea Teddy Bear Co.
 - 2) Location: Made in China, DP00037883
 - 3) Date: 310521
 - 4) Cohort information: 310521

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

Labeling requirements

Test Property	Test Method	Test Principle/Requirements/	Rating
US			
Country of Origin Marking	19 CFR 134	Shall indicate country of origin legibly to comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Tolerances of the Commonwealth of Pennsylvania Regulation for Stuffed Toys

Method: With reference to Pennsylvania Regulation for Stuffed Toys

Test Item(s)	Result(s)	MDL	Permissible Limit
	1		
Material Visibly Reveal a Pattern, Weave, or Other Mechanical Unification of Threads to Indicate Prior Use or a Previous Manufacturing Process	Absent	--	Absent
Dirt and Foreign Matter	ND	0.1%	1.0%
Oil and Grease (use Petroleum Ether as Solvent)	ND	0.1%	1.0%
Lead Content (as Pb)	ND	0.002%	0.002%
Arsenic Content (as As ₂ O ₃)	ND	0.0002%	0.0002%
Ammonia Content	ND	5.0%	5.0%
Urea Content	ND	1.0%	1.0%
Plastic or Metal Ornaments	Not Applicable	--	Not Detached
Stones or Other Materials Having Jagged or Sharp Edges	Absent	--	Absent
Electrostatic Charge	Absent	--	Absent
Surface Burn Rate	> 3 seconds per 12inches ²	--	> 3 seconds per 12 inches ²

Specimen Description:

1. White polyfiber (Inner)

- Note:
- % = percentage by weight
 - > = greater than
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

N.B. : - Only applicable clauses were shown.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Remark:

- When statement of conformity is made, unless the decision rule was mentioned in above specified test items, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, $w = U_{95}$) in ILAC-G8:09/2019 Clause 4.2.3.
 "Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%."
 "Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.
 "Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%."

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.